欧葆

Ningbo Oubao Technology Co., Ltd.

Cabinet Folding Support Manufacturers

Application: suitable for all kinds of cabinets
Function: Control the opening angle of the cabinet door
Highlights: Easy to operate for customers

TX80-1

Material: carbon steel or stainless steel
Surface treatment: carbon steel chrome, stainless steel

Model:	TX80-1
Features:	Carbon steel (bright chrome plating)
Weight/g:	216
Lot:	100

Electrical Cabinet Hinges Manufacturers

CL101-1S 100lot Stainless Steel (Grinding and Polishing) Hinges

Material: stainless steel hinge, pin
Surface treatment: grinding, natural color
Structural function: universal hinge for left and right door opening, opening angle 120 degrees
Performance parameter
Radial load: 310N
Axial load: 480N

Model:	CL101-1S
Secification:	Stainless steel (grinding and polishing)
Weight/g:	106
Lot:	100

Tool Key Lock Accessories Suppliers

Damping Hinges Suppliers

CL272 Black PA Hinge Damping Hinges

Material: zinc alloy hinge
Surface treatment: spray plastic (black pitted surface) static hinge, stainless steel rotating shaft
Structure description: opening angle 180 degrees
Performance parameters: maximum static load
Radial load: 1500n
Axial load: 1300N

Waterproof Cover Lock Accessories Suppliers

DP001 Chrome ZDC Dust Cover Waterproof Cover Lock Accessories

Connecting Rod Lock Accessories Suppliers

LG001 Nylon Roller Connecting Rod Lock Accessories



Contact

Plant 2, 1616 Huishi Road, Haishu District, Ningbo, Zhejiang, China
xinoubao1@sina.com
+86-13355939289 / +86-574-88283291 / 88283292